


# UAC Channel

UAC profiles, channel length is short steel forms. These profiles are used in many fields including industrial infrastructures, construction applications, decorative applications, cable ducts, automotive and railway sectors, elevators and escalators, base plate applications. According to customer demand, there is a wide range of production quality and variety with special production possibilities.



<b>Size:</b>	Produced from 30 mm to 70 mm.
<b>Length:</b>	Produced from 4 m to 18 m.
<b>Dimensions:</b>	Mill Standard
<b>Tolerances:</b>	EN 10279

SECTION	DIMENSIONS							CROSS SECTION AREA	DIMENSIONS OF THE AXIS			STATIC PARAMETERS									
	G	h	b	t <sub>w</sub>	t <sub>f</sub>	r <sub>1</sub>	r <sub>2</sub>		A	d	e <sub>min</sub>	e <sub>max</sub>	AXIS y-y			AXIS x-x					
													I <sub>y</sub>	W <sub>ely</sub>	W <sub>ply</sub>	I <sub>x</sub>	A <sub>vz</sub>	I <sub>z</sub>	W <sub>elz</sub>	W <sub>plz</sub>	i <sub>z</sub>
kg/m	mm	mm	mm	mm	mm	mm	cm <sup>2</sup>	mm	mm	mm	cm <sup>4</sup>	cm <sup>3</sup>	cm <sup>3</sup>	cm	cm <sup>2</sup>	cm <sup>4</sup>	cm <sup>3</sup>	cm <sup>3</sup>	cm		
UAC 30	1,45	30	15	2,8	3,5	-	-	1,85	-	-	-	-	-	-	-	-	-	-	-	-	
UAC 35	1,8	35	17,4	2,8	4	-	-	2,29	-	-	-	-	-	-	-	-	-	-	-		
UAC 40	2,09	40	20	2,8	4,8	-	-	2,66	-	-	-	-	-	-	-	-	-	-	-		
UAC 50	3,09	50	25	3	5,4	-	-	3,94	-	-	-	-	-	-	-	-	-	-	-		
UAC 60	4,02	60	30	4	5,1	-	-	5,12	-	-	-	-	-	-	-	-	-	-	-		
UAC 70	6,1	70	39,3	4,5	6	-	-	7,77	-	-	-	-	-	-	-	-	-	-	-		

